

姿図




| | |
|---------|-------------------|
| 品番 | GSP001DBW (36度配光) |
| 光源 | LED |
| 定格光束 | 450lm |
| 1/2 照度角 | 35.93° |
| ビーム角 | 35.8° |

| | | | |
|-----------|---------|-----------|---------|
| 器具効率 100% | 上方光束 0% | 下方光束 100% | 保守率 0.7 |
|-----------|---------|-----------|---------|


| 反射率 | 天井 | 80% | | | 70% | | | 50% | | | 30% | | | 10% | | | 0 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
| | 壁 | 50% | 30% | 10% | 50% | 30% | 10% | 50% | 30% | 10% | 50% | 30% | 10% | 50% | 30% | 10% | 0 |
| 床 | 照明率 | | | | | | | | | | | | | | | | |
| 室指数 | | | | | | | | | | | | | | | | | |
| 0.0 | 1.19 | 1.19 | 1.19 | 1.16 | 1.16 | 1.16 | 1.11 | 1.11 | 1.11 | 1.06 | 1.06 | 1.06 | 1.02 | 1.02 | 1.02 | 1.00 | |
| 1.0 | 1.12 | 1.10 | 1.09 | 1.10 | 1.08 | 1.07 | 1.06 | 1.05 | 1.04 | 1.03 | 1.02 | 1.00 | .99 | .98 | .98 | .96 | |
| 2.0 | 1.07 | 1.03 | 1.01 | 1.05 | 1.02 | .00 | 1.02 | .99 | .97 | .99 | .97 | .95 | .96 | .95 | .93 | .92 | |
| 3.0 | 1.01 | .98 | .94 | 1.00 | .97 | .94 | .98 | .95 | .92 | .95 | .93 | .91 | .93 | .91 | .89 | .88 | |
| 4.0 | .97 | .93 | .89 | .96 | .92 | .89 | .94 | .90 | .88 | .92 | .89 | .87 | .90 | .88 | .86 | .85 | |
| 5.0 | .93 | .88 | .85 | .92 | .88 | .84 | .90 | .87 | .84 | .89 | .85 | .83 | .87 | .85 | .82 | .81 | |
| 6.0 | .89 | .84 | .81 | .88 | .84 | .81 | .87 | .83 | .80 | .86 | .82 | .80 | .84 | .81 | .79 | .78 | |
| 7.0 | .85 | .81 | .78 | .85 | .80 | .77 | .84 | .80 | .77 | .83 | .79 | .77 | .82 | .79 | .76 | .75 | |
| 8.0 | .82 | .78 | .74 | .82 | .77 | .74 | .81 | .77 | .74 | .80 | .76 | .74 | .79 | .76 | .73 | .72 | |
| 9.0 | .79 | .75 | .72 | .79 | .74 | .71 | .78 | .74 | .71 | .77 | .74 | .71 | .76 | .73 | .71 | .70 | |
| 10.0 | .76 | .72 | .69 | .76 | .72 | .69 | .75 | .71 | .69 | .75 | .71 | .69 | .74 | .71 | .68 | .67 | |

配光曲線



平均照射角 (50%) : 35.8°

水平面照度



姿図




| | |
|---------|------------------|
| 品番 | GSP001DBW(24度配光) |
| 光源 | LED |
| 定格光束 | 450lm |
| 1/2 照度角 | 24.8° |
| ビーム角 | 23.1° |

| | | | |
|-----------|---------|-----------|---------|
| 器具効率 100% | 上方光束 0% | 下方光束 100% | 保守率 0.7 |
|-----------|---------|-----------|---------|


| 反射率 | 天井 | 80% | | | 70% | | | 50% | | | 30% | | | 10% | | | 0 |
|------|----|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | 壁 | 50% | 30% | 10% | 50% | 30% | 10% | 50% | 30% | 10% | 50% | 30% | 10% | 50% | 30% | 10% | 0 |
| 床 | | 20% | | | 20% | | | 20% | | | 20% | | | 20% | | | 0 |
| 室指数 | | 照 明 率 | | | | | | | | | | | | | | | |
| 0.0 | | .95 | .95 | .95 | .92 | .92 | .92 | .88 | .88 | .88 | .84 | .84 | .84 | .81 | .81 | .81 | .79 |
| 1.0 | | .90 | .88 | .87 | .88 | .87 | .86 | .85 | .84 | .83 | .82 | .81 | .80 | .79 | .79 | .78 | .77 |
| 2.0 | | .86 | .83 | .81 | .84 | .82 | .80 | .82 | .80 | .79 | .80 | .78 | .77 | .77 | .76 | .75 | .74 |
| 3.0 | | .82 | .79 | .77 | .81 | .78 | .76 | .79 | .77 | .75 | .77 | .76 | .74 | .76 | .74 | .73 | .72 |
| 4.0 | | .79 | .76 | .74 | .78 | .75 | .73 | .77 | .74 | .72 | .75 | .73 | .71 | .74 | .72 | .71 | .70 |
| 5.0 | | .76 | .73 | .71 | .75 | .73 | .70 | .74 | .72 | .70 | .73 | .71 | .69 | .72 | .70 | .69 | .68 |
| 6.0 | | .74 | .70 | .68 | .73 | .70 | .68 | .72 | .69 | .67 | .71 | .69 | .67 | .70 | .68 | .67 | .66 |
| 7.0 | | .71 | .68 | .66 | .71 | .68 | .66 | .70 | .67 | .65 | .69 | .67 | .65 | .68 | .66 | .65 | .64 |
| 8.0 | | .69 | .66 | .64 | .69 | .66 | .64 | .68 | .65 | .63 | .67 | .65 | .63 | .67 | .65 | .63 | .62 |
| 9.0 | | .67 | .64 | .62 | .67 | .64 | .62 | .66 | .64 | .62 | .66 | .63 | .61 | .65 | .63 | .61 | .61 |
| 10.0 | | .65 | .62 | .60 | .65 | .62 | .60 | .65 | .62 | .60 | .64 | .62 | .60 | .64 | .61 | .60 | .59 |

配光曲線



平均照射角 (50%) : 23.1°

水平面照度



姿図




| | |
|---------|-------------------|
| 品番 | GSP001DBW (50度配光) |
| 光源 | LED |
| 定格光束 | 450lm |
| 1/2 照度角 | 47.34° |
| ビーム角 | 47.5° |

| | | | |
|-----------|---------|-----------|---------|
| 器具効率 100% | 上方光束 0% | 下方光束 100% | 保守率 0.7 |
|-----------|---------|-----------|---------|


| 反射率 | 天井 | 80% | | | 70% | | | 50% | | | 30% | | | 10% | | | 0 |
|------|----|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | 壁 | 50% | 30% | 10% | 50% | 30% | 10% | 50% | 30% | 10% | 50% | 30% | 10% | 50% | 30% | 10% | 0 |
| 床 | | 20% | | | 20% | | | 20% | | | 20% | | | 20% | | | 0 |
| 室指数 | | 照 明 率 | | | | | | | | | | | | | | | |
| 0.0 | | 1.19 | 1.19 | 1.19 | 1.16 | 1.16 | 1.16 | 1.11 | 1.11 | 1.11 | 1.06 | 1.06 | 1.06 | 1.02 | 1.02 | 1.02 | 1.00 |
| 1.0 | | 1.12 | 1.09 | 1.07 | 1.10 | 1.08 | 1.06 | 1.06 | 1.04 | 1.03 | 1.02 | 1.01 | .99 | .98 | .97 | .97 | .95 |
| 2.0 | | 1.05 | 1.01 | .98 | 1.03 | 1.00 | .97 | 1.00 | .98 | .95 | .97 | .95 | .93 | .95 | .93 | .91 | .90 |
| 3.0 | | .99 | .95 | .91 | .98 | .94 | .91 | .95 | .92 | .89 | .93 | .90 | .88 | .91 | .88 | .86 | .85 |
| 4.0 | | .94 | .89 | .85 | .93 | .88 | .85 | .91 | .87 | .84 | .89 | .85 | .83 | .87 | .84 | .82 | .80 |
| 5.0 | | .89 | .84 | .80 | .88 | .83 | .80 | .86 | .82 | .79 | .85 | .81 | .78 | .83 | .80 | .78 | .76 |
| 6.0 | | .84 | .79 | .75 | .84 | .79 | .75 | .82 | .78 | .75 | .81 | .77 | .74 | .80 | .76 | .74 | .72 |
| 7.0 | | .80 | .75 | .71 | .80 | .75 | .71 | .78 | .74 | .71 | .77 | .73 | .70 | .76 | .73 | .70 | .69 |
| 8.0 | | .76 | .71 | .68 | .76 | .71 | .68 | .75 | .70 | .67 | .74 | .70 | .67 | .73 | .69 | .67 | .66 |
| 9.0 | | .73 | .68 | .64 | .73 | .68 | .64 | .72 | .67 | .64 | .71 | .67 | .64 | .70 | .66 | .64 | .62 |
| 10.0 | | .70 | .65 | .61 | .69 | .65 | .61 | .69 | .64 | .61 | .68 | .64 | .61 | .67 | .63 | .61 | .60 |

配光曲線



平均照射角 (50%) : 47.5°

水平面照度



| | |
|---------|---------|
| a. 110 | f. 18.0 |
| b. 90.0 | g. 14.0 |
| c. 72.0 | h. 9.00 |
| d. 54.0 | i. 7.20 |
| e. 36.0 | j. 5.40 |